

GRIGGS & MALONEY
INCORPORATED

Engineering & Environmental Consulting

SOP-11021
JCM
P.O. Box 2968
Murfreesboro, TN 37133-2968
(615) 895-8221
Fax: (615) 895-0632

June 27, 2012

Mr. James McAdoo, P.E.
Division of Water Pollution Control
Tennessee Department of Environment and Conservation
6th Floor, L&C Annex
401 Church Street
Nashville, Tennessee 37243-1534

RE: **SOP-11021: B&W GROWERS LAND APPLICATION TREATMENT SYSTEM**
LINCOLN COUNTY, TN
G&M File 631-08


Dear James,

This letter is to provide notice that the above referenced Land Application System has completed construction, and is operational. During the Owners bidding and construction contract negotiations, Spray Field Number 4 (as identified on the TDEC approved construction plans) was deleted from the construction contract. As outlined in Section 9.2 of the June 2011 Griggs and Maloney, Inc. Design Engineering Report submitted with the SOP application, the minimum spray field area required by TDEC is 3.253 acres. Each of the four (4) spray fields were equally sized at 1.269 acres. As a result, the three (3) spray fields that were actually installed still exceed the minimum required spray field application area by 0.554 acres.

The removed spray field was considered a spare field, and its removal will not affect the daily operation of the lagoon and spray application process. Should production flows reach a point where additional spray field capacity is required, the pumping, controls and lagoon capacity exists to allow for the installation of Spray Field Number 4 in the future. These issues have been reviewed with Ryan Owens in the Columbia office.

Should you have any questions, please feel free to call me at (615) 895-8221.

Sincerely,
GRIGGS & MALONEY, INC.


Will Owen, P.E.

Copy: Mr. Bob Burgoon, B&W Growers
Mr. Bill Griggs, G&M
Ryan Owens, Columbia Field Office

RECEIVED

JUN 28 2012

2012 JUN 28 10:00 AM
COLUMBIA FIELD OFFICE